

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A system for providing discretionary viewing control in displaying data, comprising:

a display for displaying data, the display comprising a plurality of pixels; and

an integrated circuit in connection with said display for processing said data,

wherein, for each of the plural pixels, said data [including] comprises at least first and second portions of data that are linked together, the first portion including payload data and the second portion including metadata,

wherein said payload data comprises [providing] content for the [to each] pixel [of the plurality of pixels at the display independently] and said metadata [has] comprises a value selected from a predefined set of values which classifies [and identifies each] the pixel [at the display] independently from the other pixels;

whereby, because each of the processable pixels [at the display] are individually classified according to a particular metadata value selected from the predefined set of values, said integrated circuit is able to perform operations on individual pixels based on their metadata.

2. (Currently Amended) The system of claim 1, wherein the integrated circuit comprises:

a filter for one of blocking and obscuring the content of each of the plurality of pixels that has a metadata value that exceeds a discretionary threshold value without preventing the display of the content of the plurality of pixels that does not have a metadata value that exceeds the discretionary threshold value.

3. (Currently Amended) A method for providing discretionary viewing control in displaying data, comprising the steps of:

providing a display comprising a plurality of pixels;

receiving data;

wherein, for each of the plural pixels, said received data [including] comprises at least first and second portions of data that are linked together, the first portion including payload data and the second portion including metadata,

wherein said payload data comprises [providing] content for the [to each] pixel [of the plurality of pixels at the display independently,] and said metadata comprises [identifying each respective pixel at the display independently, said identifying comprising classifying each respective pixel according to] a metadata value selected from a predefined set of values which classifies the pixel independently from the other pixels;

supplying said received data to an integrated circuit in connection with the display; and processing the content for each respective pixel based on the metadata value

[identification] of each respective pixel.

4. (Currently Amended) The method of claim 3, further comprising the steps of:

one of blocking and/or obscuring the content of each of the plurality of pixels that has a metadata value exceeding a discretionary threshold value, and

displaying the content of the remaining plurality of pixels that are not blocked or obscured.

5. (Original) The method of claim 3, wherein the display is a display on a wireless terminal, and the step of supplying data to the display comprises supplying said data to the display on the wireless terminal.

6. (Withdrawn) A method for metering visibility of an advertisement, comprising:
providing a display with a plurality of pixels;
receiving data,
said received data including at least first and second portions of data that are
linked together, the first portion including payload data and the second portion
including metadata,
said payload data providing content to each of the plurality of pixels of the display
independently, and said metadata identifying each respective pixel of the
display independently, said identifying comprising classifying each respective
pixel according to a particular metadata value selected from a predefined set of
values;
supplying said received data to an integrated circuit in connection with the display;
processing the content for each respective pixel based on the identification of each
respective pixel; and
periodically metering the number of pixels classified as advertisement by the metadata.
7. (Withdrawn) The method of claim 6, wherein the metering step comprises determining an
advertising fee to charge to the advertiser based on the metering of the displayed portion of the
advertisement.
8. (Withdrawn) The method of claim 7, wherein the advertisement comprises a portion that is
not displayed, and the method further comprises charging the advertising fee based on the metered
number of pixels that display the pixels classified as the advertisement multiplied by the length of
time that the pixels classified as the advertisement are displayed without charging for the portion of
the advertisement that is not displayed.
9. (Withdrawn) A method for providing an incentive to a player of a game, comprising;
providing a display having a plurality of pixels;

supplying data to an integrated circuit in connection with the display,
said data including at least first and second portions of data that are linked
together, the first portion including payload data and the second portion
including metadata,
said payload data providing content to each of the plurality of pixels of the display
independently, and said metadata identifying each respective pixel of the
display independently, said identifying comprising classifying each respective
pixel according to a metadata value selected from a predefined set of values;
processing the content for each respective pixel based on the identification of each pixel;
opening a non-game item in response to a player activation of any of the pixels specified
belonging to a non-game class; and
awarding a reward to the player upon viewing the non-game item.

10. (Withdrawn) The method of claim 9, wherein the non-game item comprises an
advertisement.

11. (Withdrawn) The method of claim 10, wherein the step of awarding the reward comprises
increasing the reward awarded based on the total number of the pixels classified as the
advertisement as identified by the metadata.

12. (Withdrawn) The method of claim 10, wherein the step of awarding the reward comprises
increasing the reward awarded based on the length of time the pixels display the advertisement as
identified by the metadata.

13. (Withdrawn) The method of claim 9, wherein the game is a game played collaboratively by
at least two players on the Internet.

14. (Currently Amended) A data frame to be processed in an integrated circuit and displayed pixel-wise, comprising:

for each of a plurality of pixels in said data frame, at least first and second portions of data that are linked together, the first portion comprising [including] payload data and the second portion comprising [including] metadata;

wherein said payload data comprises [providing] content of the [to each] pixel [of a display] independently, and said metadata comprises [identifying each pixel of the display independently, said identifying comprising classifying each pixel according to] a metadata value selected from a predefined set of values, which classifies the pixel independently from the other pixels;

whereby, because each pixel is individually classified according to a particular metadata value selected from the predefined set of values, each pixel may be individually processed for some operations.

15. (Original) The data frame of claim 14, wherein the content comprises multiple channels of content.

16. (New) The system of claim 1, wherein the integrated circuit comprises:

means for determining a display metric, said display metric being the result of multiplying the number of pixels having a certain metadata value by the amount of time those pixels are visible on the display.

17. (New) The method of claim 3, further comprising the step of:

determining a display metric, said display metric being the result of multiplying the number of pixels having a certain metadata value by the amount of time those pixels are visible on the display.

18. (New) The data frame of claim 14, wherein the payload data comprises a red channel, a blue channel, a green channel, a Z-buffering channel, and an alpha channel.

19. (New) A system for displaying visual objects comprised of pixels, comprising:

a processing means for receiving a data frame comprising a plurality of pixels which, in turn, comprise one or more visual objects, wherein each of the plural pixels comprise a plurality of contiguous bits in the data frame, wherein the plural contiguous bits of each pixel comprise a content field and a metadata field, wherein the metadata field comprises a value from a predefined set of metadata values, and wherein the metadata value indicates that the pixel is part of a visual object within a particular category, said processing means comprising:

means for identifying pixels which comprise a visual object by their metadata fields;

wherein, because the pixels comprising an individual visual object can be identified within the data frame, certain operations can be performed on the pixels forming an individual visual object separate from the pixels forming the remaining visual objects in the visual field.

20. (New) The system of claim 19, wherein the processing means comprises hardware, software and/or firmware.

21. (New) The system of claim 19, wherein the processing means comprises a graphics board, a browser of markup language documents, and/or an e-mail program.

22. (New) The system of claim 19, wherein the particular categories comprise violent content, pornographic content, and advertisements.

23. (New) The system of claim 19, wherein the processing means further comprises:
a filter for one of blocking and/or obscuring a visual object by blocking and/or obscuring each of a plurality of pixels forming said visual object, wherein each of the plural pixels forming said visual object has a metadata value which indicates that its pixel is part of a visual objects which must be blocked and/or obscured.
24. (New) The system of claim 19, wherein the processing means further comprises:
a meter for determining a display metric, said display metric being the result of multiplying the number of pixels having a certain metadata value by the amount of time those pixels are visible on a display.